

VERIFICATION OF COMPLIANCE

No.: LVD GZES2411022390PV

Applicant: Anker Innovations Limited

Unit 56, 8th Floor, Tower 2, Admiralty Centre, 18 Harcourt

Road, Hong Kong

Manufacturer: Anker Innovations Limited

Unit 56, 8th Floor, Tower 2, Admiralty Centre, 18 Harcourt

Road, Hong Kong

Product Name: Anker SOLIX Solarbank 3 E2700 Pro

Product Description: Inverter used in PV system

Model No.: A17C53Z1, A17C53Z1-1, A17C53Z1-2, A17C53Z1-3,

A17C53Z1-4, A17C53Z1-5, A17C53Z1-20, A17C53Z1-20-1,

A17C53Z1-20-2, A17C53Z1-20-3, A17C53Z1-20-4,

A17C53Z1-20-5

Trade Mark: ANKER

Rating: See page 2-3

Protection against Electric Shock: Class I

Degree of Protection: IP65

Additional Information: Software version: V1.0

Hardware version: V1.0

Sufficient samples of the product have been tested and found to be in conformity with

Test Standard: EN 62109-1:2010

EN 62109-2:2011

as shown in the GZES241102239001
Test Report Number(s): GZES241102239002

This Verification of Compliance has been granted to the applicant based on the results of tests, performed by Laboratory of SGS-CSTC Standards Technical Services Co., Ltd. on sample of the above-mentioned product in accordance with the provisions of the relevant harmonized standards under the Low Voltage Directive 2014/35/EU. The CE marking can be affixed, under the responsibility of the manufacturer, after completion of an EC Declaration of Conformity and compliance with all relevant EC Directives. The affixing of the CE marking presumes in addition that the conditions in annexes III and IV of the Directive are fulfilled.



2025-02-21

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/lerms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS-CSTC Standards Technical Services Co., Ltd.
16F, Century Yu Hui Mansion, No.73, Fucheng Road, Haidian District, Beijing, 100142, CHINA
www.sgsgroup.com.cn
Member of the SGS Group (SGS SA)





LVD GZES2411022390PV No.: Other information added:

Rating:

| Model | A17C53Z1 A17C53Z1-n* | A17C53Z1-20 A17C53Z1-20-n * |
|--|--|---------------------------------------|
| PV Input | 7117 00021 11 | 7 |
| Max. input voltage | 60 Vdc | |
| MPPT operating voltage range | 16-60 Vdc | |
| Max. input current | 32 * 4 A | |
| Max. Isc PV | 40 * 4 A | |
| Max. input power | 900 * 4 W | |
| Number of MPPT | 4 | |
| Battery Input | | |
| Voltage Range | 21.6-28.8 Vdc | |
| Rated voltage | 25.6 Vdc | |
| Max. charge / discharge current | 70 / 75 A | |
| Rated power (Single Device) | 1800 W | |
| AC Input (On-gird) | | |
| Nominal input voltage | 230 Vac, L+N+PE | |
| Nominal grid frequency | 50 Hz | |
| Max. input power | 2000 W | |
| Max. input current | 10 A | |
| Max. charge power | 1200 W | |
| Max. charge power | 5.3 A | |
| AC Output (On-gird) | | |
| Nominal grid voltage | 230 Vac, L+N+PE | |
| Nominal grid frequency | 50 Hz | |
| Rated power | 800 W | 1200 W |
| Max. AC current | 3.5 A | 5.3 A |
| Output power factor | 0.8 lagging to | 0.8 leading |
| AC Output (Off-grid) | | |
| Nominal grid voltage | 230 Vac, L+N+PE | |
| Nominal grid frequency | 50 Hz | |
| Max. output power | 1200 W | |
| Max. output current | 5.3 A | |
| Max. bypass output power | 2000 W | |
| Max. bypass output current | 10 A | |
| General Data | | |
| Max. Altitude | 4000 m | |
| Dimensions | 460 * <mark>254 *</mark> 279 mm (Inverter); | |
| Difficiologia | 460 * 233 * 217.5 mm (single battery module) | |
| Weight | 29.2 kg (Inverter); | |
| | 24 kg (single battery module) | |
| Operating temperature range | -20 ∼ +55 °C | |
| Protection degree | IP65 | |
| Protective class | Class I | |
| Cooling method | Natural Cooling | |
| Topology S A S A S A S A S A S A S A S A S A S | Isolated | |

Technical Manager SGS-CSTC Standards Technical Services C

2025-02-21


This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms and conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained hereon reflects the Company's findings at the Any noider of this document is advised that information contained nereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS-CSTC Standards Technical Services Co., Ltd. 16F, Century Yu Hui Mansion, No.73, Fucheng Road, Haidian District, Beijing, 100142, CHINA www.sgsgroup.com.cn Member of the SGS Group (SGS SA)



Note: * n refer the number of batteries, which can be 1 to 5. The only difference about them is the number of battery stacks and battery capacity.

All model number are as follow: A17C53Z1, A17C53Z1-1, A17C53Z1-2, A17C53Z1-3, A17C53Z1-4, A17C53Z1-5, A17C53Z1-20, A17C53Z1-20-1, A17C53Z1-20-2, A17C53Z1-20-3, A17C53Z1-20-4, A17C53Z1-20-5.





2025-02-21

This document is issued by the Company under its General Conditions of Service accessible at conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS-CSTC Standards Technical Services Co., Ltd. 16F, Century Yu Hui Mansion, No.73, Fucheng Road, Haidian District, Beijing, 100142, CHINA www.sgsgroup.com.cn Member of the SGS Group (SGS SA)